

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS ✓
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

FIG. 1











FIG. 3

ICAM-1 →

β-actin →



Contralateral

Ipsilateral

FIG. 4A

FIG. 4B




FIG. 5A



Wild Type

FIG. 5B



ICAM-1 (-/-)

FIG. 6A



Wild Type

**FIG. 6B**



ICAM-1 (-/-)








FIG. 8A





FIG. 8B









FIG. 10A





FIG. 10B

Graft Survival




Recipient: Wild Type Wild Type

Donor: Wild Type P-Selectin (-)

FIG. 10C


Graft Neutrophil Infiltration



Wild Type Wild Type

Wild Type P-Selectin (-)

FIG. 11A



\*\* = P<0.001, CS1 vs CS2

12/52

FIG. 11B




FIG. 12A




FIG. 12C




FIG. 12B




FIG. 12D




FIG. 13




FIG. 14A




FIG. 14B




FIG. 14C






FIG. 15A




FIG. 15B




FIG. 15C




FIG. 16A




FIG. 16B




FIG. 16C




FIG. 17A




FIG. 17B




FIG. 17C




FIG. 18A




FIG. 18B




FIG. 19A




FIG. 19B





FIG. 19C



21/52

FIG. 20




FIG. 21A




FIG. 21B










FIG. 21C








**FIG. 23A**



\*\* p=0.02

**FIG. 23B**



\*\* p=0.02

FIG. 24A




FIG. 24B




FIG. 24C




FIG. 25




FIG. 26A

FIG. 26B

FIG. 26C




FIG. 26D

FIG. 26E

FIG. 26F

FIG. 27




FIG. 28




FIG. 29




FIG. 30






FIG. 31A




FIG. 31B




FIG. 31C




FIG. 31D




FIG. 32A




FIG. 32B




FIG. 32C




FIG. 33A




FIG. 33B




FIG. 34




FIG. 35A




FIG. 35B




FIG. 36A






FIG. 36B




FIG. 37


0




1



2



3



4



FIG. 38A




FIG. 38B




FIG. 39




FIG. 40A




FIG. 40B




FIG. 40C

FIG. 40D




FIG. 40E

FIG. 40F

FIG. 41A






FIG. 41B




FIG. 41C




FIG. 42A




FIG. 42B




FIG. 43

